14

15

PREPARED FOR

Attn: Jorge Quinones Irrigation Express 13650 Vaughn Street San Fernando, California 91340

ANALYTICAL REPORT

Generated 5/1/2023 12:57:42 PM

JOB DESCRIPTION

VENICE LIGHT-76

JOB NUMBER

860-47513-1

Eurofins Houston 4145 Greenbriar Dr Stafford TX 77477

Client Sample Results

Job ID: 860-47513-1 Client: Irrigation Express

Project/Site: VENICE LIGHT-76

Lab Sample ID: 860-47513-1 **Client Sample ID: VENICE LIGHT-76**

Date Collected: 04/18/23 11:20 Matrix: Solid

Date Received: 04/21/23 10:57

Method: SW846 6020A - Metals (ICP/MS)

Analyte Result Qualifier RL Unit D Prepared Analyzed Dil Fac <2.00 U 2.00 04/25/23 21:53 04/26/23 21:41 10

Lead mg/Kg

Eurofins Houston

6

Page 7 of 16 5/1/2023

QC Sample Results

Client: Irrigation Express Job ID: 860-47513-1

Project/Site: VENICE LIGHT-76

Method: 6020A - Metals (ICP/MS)

Lab Sample ID: MB 860-100396/1-A **Client Sample ID: Method Blank**

Matrix: Solid

Analysis Batch: 100581

Prep Batch: 100396 MB MB

Analyte Result Qualifier RL Unit Prepared Analyzed Dil Fac 0.200 04/25/23 21:53 04/26/23 20:32 Lead <0.0130 U 0.0130 mg/Kg

Client Sample ID: Lab Control Sample Lab Sample ID: LCS 860-100396/2-A **Matrix: Solid** Prep Type: Total/NA Analysis Batch: 100581 **Prep Batch: 100396**

Spike LCS LCS %Rec

Analyte Added Result Qualifier Unit D %Rec Limits 10.0 9.852 99 80 - 120 Lead mg/Kg

Client Sample ID: Lab Control Sample Dup Lab Sample ID: LCSD 860-100396/3-A

Matrix: Solid Prep Type: Total/NA **Analysis Batch: 100581** Prep Batch: 100396

Spike LCSD LCSD %Rec RPD Limits Analyte Added Result Qualifier RPD Limit Unit D %Rec

Lead 10.0 9.940 99 80 - 120 mg/Kg

Prep Type: Total/NA

5/1/2023



Environment Testing Xenco

CERTIFICATE OF ANALYSIS

Client: Irrigation Express Product: Venice Light-76

Eurofins Sample #:860-47513-1

Lead Results: Less than two part per million

Synthetic fibers from turf product Venice Light-76, taken by Irrigation Express on 04/18/2023, and received by Eurofins Labs, 04/21/2023, were analyzed by Eurofins Labs for total lead by method SW6020A. The results were less than two milligrams lead per kilogram synthetic fiber (<2 mg/kg).

Dr. Blair Leftwich, Director

Date

3

4

5

6

Q

9

11

10

1/

15